

 The originating document has been archived. We cannot confirm the completeness, accuracy, or currency of the content.

Remend Corneal Repair Gel For Dogs and Cats

This page contains information on Remend Corneal Repair Gel For Dogs and Cats for **veterinary use**. The information provided typically includes the following:

- Remend Corneal Repair Gel For Dogs and Cats Indications
- Warnings and cautions for Remend Corneal Repair Gel For Dogs and Cats
- Direction and dosage information for Remend Corneal Repair Gel For Dogs and Cats

Remend Corneal Repair Gel For Dogs and Cats

This treatment applies to the following species:

- Cats
- Dogs

 Manufacturer: Bayer Animal Health

Caution: Federal law restricts this product to use by or on the order of a licensed veterinarian.

Description

Remend[®] Corneal Repair Gel can be utilized in the treatment of acute injuries to the cornea. The corneal repair gel drops are composed of cross-linked, modified hyaluronic acid, which provides a suitable environment to facilitate cell migration, thereby enhancing healing and leaving less room for scarring. Remend[®] Corneal Repair Gel does not contain an antibiotic.

Remend Corneal Repair Gel For Dogs and Cats Indications

For use in acute, non-infected corneal ulcers in dogs and cats.

Effectiveness

The efficacy of this product is supported by research done at major universities. This patented, modified hyaluronic acid cross-linking technology improves the rate of healing of corneal ulcers.

Ingredients

Water, Hyasent-S, Sodium Chloride, Disodium Phosphate, Potassium Chloride, Potassium Phosphate.

Warning: For animal use only.

Adverse Reactions

For medical emergencies or to report adverse reactions call 1-800-255-6826.

Administration

1. Use gloves to assure sterility and cleanliness.
2. Place 1 to 2 drops directly onto injured cornea. The natural movement of the eyelid will distribute the gel over the eye surface.



3. Remend® Corneal Repair Gel should be applied 2 times each day until corneal repair is complete.
4. To avoid contamination, do not touch tip of the container to any surface.
5. Replace cap securely after using.

Storage

Product should be stored at room temperature, away from any heat source, or may be stored in the refrigerator. If refrigerated, the product should be allowed to warm to room temperature prior to use. DO NOT FREEZE.

How Supplied

3 mL dropper bottle

For customer service or to obtain product information, contact Bayer at 1-800-255-6826.

Bayer, the Bayer Cross, DVM & Design and Remend are registered trademarks of Bayer.

Manufactured for Bayer HealthCare LLC, Shawnee Mission, KS 66201

81799024, R.0

52370B

Regulations for product use are established by country. Information contained on this site pertains only to the United States of America, and is not intended to provide adequate information for product use. Before using or dispensing any product, read and carefully observe the label directions.

BAYER HEALTHCARE LLC
Animal Health Division
P.O. BOX 390, SHAWNEE MISSION, KS, 66201-0390

Customer Service Tel.:		800-633-3796
Customer Service Fax:		800-344-4219
Website:		www.bayer-ah.com



Every effort has been made to ensure the accuracy of the Remend Corneal Repair Gel For Dogs and Cats information published above. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the US product label or package insert.



Copyright © 2024 Animalytix LLC. Updated: 2024-08-26